



DuraGraft[®]

The DuraGraft[®] Difference: A Vascular Graft Treatment For The Prevention Of Graft Disease



Intraoperative Graft Damage is the Principal Cause of Vein Graft Failure

The durability and patency of vein grafts are significantly compromised by Vein Graft Disease (VGD):


- The VGD process begins during the grafting surgery itself⁽¹⁾
- VGD is the principal cause of both early (within 30 days) and intermediate/late Vein Graft Failure (VGF)
- VGD encompasses the pathophysiological changes that occur in vein grafts following their use in surgical grafting

Endothelial Damage, Manifested Within Minutes as Pro-inflammatory, Pro-thrombogenic, and Hyper-proliferative Changes Within the Graft, Leads to VGD

As VGD progresses, vein grafts lose their ability to adapt to the post-grafting environment, leading to:
Thrombus formation • Intimal hyperplasia • Atherosclerosis

These may result in:

Graft stenosis • Occlusion • Loss of graft patency



Multi-photon microscopy was used to generate images of vein grafts stained using “live/dead” staining technology. **Green** fluorescence indicates viable cells. **Red** fluorescence indicates dead cells. EC = Endothelial Cells.

VGD that progresses to VGF may result in death, myocardial infarction, the need for repeat revascularization and/or lower limb amputation. The success rate of revascularization or re-intervention of a failed graft is very poor⁽²⁾ and therefore addressing early vein graft disease in the primary graft is crucial.⁽³⁾

1. Hess et al. Circulation. 2014 Oct; 130:1445-1451.

2. Testa L, Bedogni F. Treatment of Saphenous Vein Graft Disease: “Never Ending Story” of the “Eternal Return”. Res Cardiovasc Med. 2014; 3(3):e21092.

3. Kim FY, Marhefka G, Ruggiero NJ, et al. Saphenous vein graft disease: review of pathophysiology, prevention, and treatment. Cardiol Rev 2013; 21(2):101-9.

* Thatte et al., Ann Thorac Surg. 2003; 75:1145-1152

Printed with permission from the American Heart Association

Treatment Improves Clinical Outcomes

DuraGraft is a vascular graft treatment that improves clinical outcomes by reducing the incidence and complications of graft failure.

DuraGraft enhances CABG outcomes by significantly reducing major cardiac events such as repeat revascularization, myocardial infarction and MACE.

Two Independent Large Studies Demonstrate Similar Reductions in Long-Term Clinical Events

DuraGraft Clinical Study Summary*

U.S. Retrospective Study • 2436 CABG Patients • DuraGraft Treatment vs. No Treatment

Significant reductions in long-term clinical events with DuraGraft (5-year)

50%

Reduction in
Myocardial Infarction Rates
 $p = 0.0001$

38%

Reduction in
Repeat Revascularization Rates
 $p = 0.03$

29%

Reduction in
MACE Rates
 $p = 0.02$

DuraGraft Pilot Study

EU Retrospective Study • Five-year Study • 630 CABG Patients • DuraGraft Treatment vs. No Treatment

70%

Reduction in
Myocardial Infarction Rates

57%

Reduction in
Repeat Revascularization Rates

23%

Reduction in
All Cause Death Rates

37%

Reduction in
MACE Rates

* Manuscript being prepared for publication.

Reduces Complications, Which Leads to Potential Cost Savings

- DuraGraft® significantly reduces major cardiac events such as repeat revascularization, myocardial infarction and MACE post CABG.
- Does not interrupt or modify existing surgical procedure
- Formulated into an intraoperative surgical treatment for storage and flushing

“According to data collected from UK NHS hospitals in 2014-15, each Myocardial Infarction demands on average seven days of hospitalization; taking up resources that could be used by hospitals to treat other patients and improve financial and operational efficiency.”*

Myocardial infarction patients post-CABG are more complex, therefore any improvement in graft patency and occlusions can lead to potential cost savings for health care systems.



* (Source: Hospital Episode Statistics, Admitted Patient Care - England, 2014-15 [NS]; HRG EB10Z) <http://www.hscic.gov.uk>



225 Chimney Corner Lane, Suite 2001
Jupiter, FL 33458, USA • 1-561-935-9955
www.somahlution.com

DuraGraft is not available in all markets. Visit somahlution.com/distributors for availability.
DuraGraft is a registered trademark of Somahlution. ©2016. All rights reserved. MKT-043 Rev 002